

**BACHMAN & LaPOINTE, P.C.**  
 REGISTERED PATENT ATTORNEYS  
 SPECIALIZING IN INTELLECTUAL PROPERTY

RECEIVED  
 CENTRAL FAX CENTER  
 APR 28 2005

SUITE 1201  
 900 CHAPEL STREET  
 NEWHAVEN, CONNECTICUT 06510-2802

GREGORY P. LAPointe  
 BARRY L. KELMACHER (ALSO VA BAR)  
 GEORGE A. COURY (ALSO NY BAR)  
 WILLIAM B. SLATE (ALSO CA AND DC BARS)  
 ROSS J. CHRISTIE (ALSO NY BAR)

TELEPHONE (203) 777-6628  
 FAX (203) 865-0297  
 (203) 789-0582

**FAX COVER LETTER**

TO: Josiah C. Cocks  
 FAX NO.: 703-872-9306  
 YOUR REF.: \_\_\_\_\_

FROM: William B. Slate  
 DATE: April 28, 2005  
 OUR REF.: EH-10965 (03-435)

PAGES: 10 including this sheet

Confirmation Copy to Follow: Yes  No

\* Comments:

---

Please acknowledge receipt of this letter by telephone or telefax and advise us if any pages are not readily legible or have not been received.

The information contained in this communication is confidential, may be attorney-client privileged, may constitute inside information, and is intended only for the use of the addressee. Unauthorized use, disclosure or copying is strictly prohibited and may be unlawful. If you have received this communication in error, please notify us immediately and destroy this transmittal.

**BACHMAN & LAPointe, P.C.**

TELEPHONE: (203) 777-6628  
 TELEFAX : (203) 865-0297

RECEIVED  
CENTRAL FAX CENTER

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

APR 28 2005

App. No.: 10/733,533      Att'y Docket: EH-10965 (03-435)  
Filing Date: December 11, 2003      Conf No.: 7730  
Inventor(s): Blake C. Chenevert et al.      Group Art Unit: 3749  
Assignee: United Technologies Corporation      Examiner: Josiah C. Cocks  
Title: SOOT BLOWER ACCESS APPARATUS

Correspondence Address:  
Customer Number 34704

AMENDMENT UNDER 37 C.F.R. 1.111

Mail Stop Amendment  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Dear Sir:

Ser. No. 10/733,533

**Introductory Comments**

In response to the Office Action mailed March 10, 2005, for which a response is due on June 10, 2005, please amend the application as follows: